

Technical Specifications

Information valid for: BeoSound 5, BeoMaster 5

Last modified: 13-08-2014 10:56:25

Market, intro year and last sold

Market	Type number BeoSound 5	Type number BeoMaster 5	Intro year	Last sold	End of service
Argentina, Australia, Austria, Azerbaijan, Bahrain, Belgium, Botswana, Bulgaria, Chile, Croatia, Czech Repub., Denmark, Egypt, Faroe Islands, Finland, France, Germany, Greece, Greenland, Holland, Hong Kong, Hungary, Iceland, India, Indonesia, Ireland, Israel, Italy, Kazakhstan, Korea, Kuwait, Latvia, Lithuania, Lebanon, Liechtenstein, Luxembourg, Malaysia, Morocco, New Zealand, Nigeria, Norway, Oman, Pakistan, Poland, Portugal, Qatar, Romania, Russia, Saudi Arabia, Serbia, Singapore, Slovak Rep., Slovenia, South Africa, Spain, Sweden, Switzerland, Thailand, Turkey, UK, United Arab Emirates, Uruguay,	2900	1753	(Nov. 08) Q1 09	1753: Aug 2011	
Brazil, Canada, Mexico, Japan, Taiwan, USA	2900	1754 1758	Q1 09	1754: Aug 2011	
China	2900	1755 1759		1755: Aug 2011	
Argentina, Australia, Austria, Azerbaijan, Bahrain, Belgium, Botswana, Bulgaria, Chile, Croatia, Czech Repub., Denmark, Egypt, Faroe Islands, Finland, France, Germany, Greece, Greenland, Holland, Hong Kong, Hungary, Iceland, India, Indonesia, Ireland, Israel, Italy, Kazakhstan, Korea, Kuwait, Latvia, Lithuania, Lebanon, Liechtenstein, Luxembourg, Malaysia, Morocco, New Zealand, Nigeria, Norway, Oman, Pakistan, Poland, Portugal, Qatar, Romania, Russia, Saudi Arabia, Serbia, Singapore, Slovak Rep., Slovenia, South Africa, Spain, Sweden, Switzerland, Thailand, Turkey, UK, United Arab Emirates, Uruguay	2900	1756	Q1 09		
Retrofit BeoVision 9 MK IV - 230V		4476	Q3 09		
Retrofit BeoVision 9 MK IV - 110V		4484	Q3 09		

Dimensions

BeoSound 5	
Dimensions W x H x D	31 x 19 x 7 cm (W x H x D)
Weight	2.65 kg.
Dimensions W x H x D, on Wall	31 x 19 x 7 cm (W x H x D)
Dimensions W x H x D, incl. Wall bracket	31 x 21 x 17 cm (W x H x D)
Dimensions W x H x D, incl. Table stand	31 x 18 x 24 cm (W x H x D)
Dimensions W x H x D, incl. Floor stand	31 x 103 x 31 cm (W x H x D)

BeoMaster 5	
Dimensions W x H x D BeoSound 5	37.9 cm x 27.7 cm x 9.9 cm (W x D x H)
Weight	4.7 kg.

For more information about dimensions, please see "Installation" or click here: [Dimensions](#) or [Dimensions - Inches](#).

Specifications

BeoSound 5	
Cabinet finish	Anodised aluminium, pressure diecast aluminium, Coated glass
IR-remote control	Beo4 and Beo5
Close-up operation panels	Wheel, pointer and volume
Display type	10,4" XGA(1024 x 768) TFT display, 16.777.216 colours
	N.RADIO, N.MUSIC and MOTS ("More Of The Same")
Power supply	Powered from BeoMaster 5
BeoMaster 5	
Power supply EU, GB, US, KOR, AUS, LAT, CHK	200 - 240 V, +10 / -15 %, 50-60 Hz
Power supply JPN, US, TWN	100 -127 V +10 / -15 %, 50-60 Hz
Networked standby	1.5 watts BeoSound 5 Standby only possible in LAN setup (not in WLAN)
Noise	Active max. 29dB, in Standby max. 20dBA
Operating conditions	The product is intended for indoor use in dry, domestic environments only. Use within a temperature range of 10-40°C (50-105°F).
Operation system and Hardware:	
Operation system	Microsoft Windows XP Embedded
CPU	VIA 2.0 GHz
RAM	1 GB
Hard disk drive	500 GB / 1 TB (As from serial number 22360310)
Signal-to-noise-ratio (Master Link)	>=105 dB
Signal-to-noise-ratio (Power Link)	>=97 dB
Features	N.Music, N.Radio, Photo, Web
Security	Antivirus, Windows XP SP2 firewall
Display resolution DVI-I	1920x1200 (supports HD 1920x1080p) depending on actual TV
Supported formats	
N.RADIO	WMA, MP3, ASX (MS advanced play list format). Normally locates WMA streaming, but can also locate MP3 streaming. M3U (Simple play list format). Locates MP3 streaming.
N.MUSIC	M3U, M4A, WMA (including lossless), FLAC, MP3, MP2,

	<p>WAV, ASF and AAC (MAC format)</p> <p>BeoSound 5 can play FLAC formats up to 24 bit / 192 KHz but formats above 44.1 kHz will be downsampled to 44.1 kHz/16 bit.</p> <p>Please observe that the WAV format cannot contain metadata/tag information resulting in albums being listed as "Unknown album"</p> <p>Support for MP3 tag information ID3v2 up to and including version 2.3</p> <p>We recommend using WMA lossless when ripping from Windows</p>
PHOTO	<p>*.bmp: Bitmap (all colour depths 1-32 bit) *.gif: GIF (only the first frame of animated GIFs is shown) *.png: Portable network graphics *.tiff: TIFF images *.jpeg, *.jpg: JPEG standard 24 bit</p>
Video (WEB)	<p>*.mpeg; *.mpe;*.mpg: MPEG-x various MPEG format, but only MPEG-1 supported *.avi: only M-JPEG, MS MPEG4 and uncompressed AVI is Supported *.wmv: Windows Media Video *.vfw: (a so-called container that can contain several different compression formats).</p>

Connections

BeoSound 5	
Power input + IR	1
USB mini	1
IR	1
HDMI mini	1
BeoMaster 5	
DVI-I (for TV)	1
S-Video (for TV)	1
YPbPr (3 x RCA for TV)	1
Master Link	1
Power link	2
USB (USB 2.0 HiSpeed)	2
Ethernet RJ45 10/100 Mbit/s	1
S/P-DIF	1
Line-out	1
BeoSound 5	Power, USB, DVI-D and IR
WireLess	via USB connector
SD/MMC card reader slot	via USB connector

Optional features/accessories

Product name:	Floor stand
Type no.	2191
Part no.	1219111
Material/Colour	Iron/Zinc
Dimensions W x H x D	See dimensions for BeoSound 5

Product name:	Table stand
Type no.	2192
Part no.	1219266
Material/Colour	Cast iron/Black
Dimensions W x H x D	See dimensions for BeoSound 5
Kit for table stand for use with CD Ripping Device	3376440

Product name:	Wall bracket, extended
Type no.	2193
Part no.	1219366
Material/Colour	Glass-filled plastic/black
Dimensions W x H x D	See dimensions for BeoSound 5

Product name:	BeoSound 5, Cable Extender up to 40 m
Type no.	2196
Part no.	1219666
Colour variants	Black
Dimensions W x H x D	80 x 28 x 72 mm BM5 box 116 x 28 x 72 mm BS5 box 50 x 33 x 115 mm power supply

Product name:	BeoSound 5, 9 m solution
Part no.	
9 m power cable	6270914
9 m video cable	6270962
4.5 m USB cable incl. repeater	6270961
4.5 m standard USB cable	6270960
Colour variants	Black

Product name:	Wireless USB adapter
Standards	802.11n draft (compatible with 802.11b/g)
Part no.	8005139
Plug n' play	Driver embedded in BeoMaster 5
Dimensions W x H x D	50.8 x 29.8 x 3.65 mm

Product name:	External IR eye
Part no.	8087030
Dimensions W x H x D	72 x 72 x 29 mm